




"GREEN" LED AVIATION LIGHT LUMINAIRES

BAJAJ BGAV 302 LED



A = 20 ET TAPPED HOLE

NOMINAL DIMENSIONS IN mm Tolerance +/-5

Application

- Hazardous area,
- Air-port area.

Specification

- Die-cast aluminum housing with Red polycarbonate dome for better illumination.
- Integral driver.
- Super flux 5mm 302nos LEDs incorporated.
- Ingress Protection : IP65

Features and Benefits

- Protection against short-circuit.
- Protection against surge.
- Wide operating input voltage range 100 – 270VAC
- 80% energy saves compared to conventional aviation light.
- Longer life time 50,000Hrs.
- Easy to installed.

Electrical Data

Product Code	Cat. Ref.	No. of LEDs & Type	Nominal Voltage (V)	Mains Current in Milli Amps. At 240 V	System wattage(W) @240V
110731	BGAV 302 LED	302 x 5mmLED	240	80	10

Data subject to variation due to change/improvement in the design, materials and processes.

<p>BAJAJ LUMINAIRES Making the difference</p>	DRAWN	KPM	28-06-2010	FOR – Std.
	CHECKED	SD		REV - 1 DATE-22-08-2011
	APPROVED	DVRS		DRG. No
	DATA SHEET RELEASED ON DT-			BGAV 302 LED - 001